

County of Wetaskiwin No. 10

Bow 6960 Wetaskiwin, Alberta T9A 2G5 Phone: 780-352-3321

Schedule "A" Application for Approach Access

In accordance with County of Wetaskiwin Approach Installation Policy #61.1.1

Applicant:	Phone Number:
Mailing Address:	
Email Address:	·····

Location of Approach

Rural Address (If A						
Legal Description:	Quarter: _	Section:	Township:	Range:	Meridian:	
	Lot:	_ Block:	_ Plan:			

Purpose (Please select one):	When locating the approach, ensure the following:
First Approach Access onto Parcel	☑ The approach is clear of any tress, power poles, signs etc.
Additional Approach (for Agricultural Purpose) 🗖	\square The approach is a minimum distance of 60
Lease Site Access	meters from any intersection.
Relocation of Existing Approach	☑ The approach does not encroach onto another property/approach.
Widening or Improvement of an Existing Approach	
Other:	

Location Map (Please be as detailed as possible when identifying the location of the approach.	Additional Comments
Include distances from roads, property corners, power poles, signs etc.)	

Signature: _____ Date: _____

Once Complete please submit form to the County of Wetaskiwin Planning and Development Department at 243019A Highway 13, Wetaskiwin, Alberta or email to wpermits@county10.ca

For Office Use



County of Wetaskiwin No. 10 Approach Approval and Construction Guideline

In accordance with County of Wetaskiwin Approach Installation Policy #61.1.1

Approval Process and Construction Stages

Submit Application

Submit a Landowner Application of Access, including a **detailed** ocation plan of the proposed approach

Application Review

The County will review the application to determine if the location of the approach is acceptable and identify the approach requirements

Letter of Requirements Once the location of the approach has been approved, a letter outlining the approach requriements will be sent to the applicant

Build Approach

Upon recieving notification from the County, construction of the approach can begin

Final Inspection


Once the approach has been constructed, contact the County for final inspection and approval

Final Approval A final inspection of the approach will be carried out, if deemed

acceptable, the County will issue an approval of the approach

Approach Location

There are many factors that have to be considered when approving the placement of a proposed approach. At a minimum, any new approach must be placed at least 60 metres from any intersection.



Approaches along a County road, but within 300 m of a Provincial highway or 800 m from an intersection along a Provincial highway, may require approval from the province as well. These and other factors are assessed by the County of Wetaskiwin Planning and Development department and factor into the overall approval.

Site Plan

When submitting the site plan for the proposed location of the approach try to be as **detailed** as possible. Be sure to include dimensions of the proposed approach from nearby markers, such as powerpoles, tree lines, or other roads/approaches



Building the Approach

Riprap, or shot rock, is to be placed around the culvert ends, extending past the pipe end, and into the ditch



A minimum 500 mm (20 inch) diameter, **new** Corrugated Steel Pipe culvert is required

3:1 bevelled ends are requried at either end of the culvert pipe

Maintain a minimum of 350mm to 400mm (12" to 16") of clear space, on top of the culvert from the end of the riprap to the edge of the culvert



A minimum 7m width is required at the property line for an approach onto a yard site or a farmer's field

A minimum 100mm (4 inches) of road surface gravel is to be spread on top of the approach

Min	.7m (23 feet	:)
	N. A. C.	
	and the second se	hand Indedated it

A minimum 3 Horizontal to I Vertical rate of slope is required on either side of the approach



At a minimum, the approach will be required to meet these requirements. Additional requirements may be identifed by the County at the "Application Review" stage.

APPROACH INSTALLATION POLICY #61.1.1

